

Durham Research Online

Deposited in DRO:

07 September 2015

Version of attached file:

Accepted Version

Peer-review status of attached file:

Peer-reviewed

Citation for published item:

Bridgland, D.R. and White, M.J. (2015) 'Chronological variations in handaxes : patterns detected from fluvial archives in north-west Europe.', *Journal of quaternary science.*, 30 (7). pp. 623-638.

Further information on publisher's website:

<http://dx.doi.org/10.1002/jqs.2805>

Publisher's copyright statement:

This is the accepted version of the following article: Bridgland, D. R. and White, M. J. (2015), Chronological variations in handaxes: patterns detected from fluvial archives in north-west Europe. *Journal of Quaternary Science*, 30(7): 623-638, which has been published in final form at <http://dx.doi.org/10.1002/jqs.2805>. This article may be used for non-commercial purposes in accordance With Wiley Terms and Conditions for self-archiving.

Additional information:

Use policy

The full-text may be used and/or reproduced, and given to third parties in any format or medium, without prior permission or charge, for personal research or study, educational, or not-for-profit purposes provided that:

- a full bibliographic reference is made to the original source
- a [link](#) is made to the metadata record in DRO
- the full-text is not changed in any way

The full-text must not be sold in any format or medium without the formal permission of the copyright holders.

Please consult the [full DRO policy](#) for further details.

Journal of Quaternary Science

**Chronological variations in handaxes: patterns detected
from fluvial archives in NW Europe**

Journal:	<i>Journal of Quaternary Science</i>
Manuscript ID:	JQS-15-0048.R1
Wiley - Manuscript type:	Special Issue Article
Date Submitted by the Author:	n/a
Complete List of Authors:	Bridgland, David; University of Durham, Department of Geography White, Mark; Durham University, Archaeology
Keywords:	Lower Palaeolithic, Acheulean, Handaxes, Fluvial archives, NW European Pleistocene

SCHOLARONE™
Manuscripts

Chronological variations in handaxes: patterns detected from fluvial archives in NW Europe

David R. Bridgland, Mark J. White

ABSTRACT: The use of handaxe morphology as a cultural and temporal marker within the Quaternary Lower–Middle Palaeolithic record has had a very chequered history, and abuses in the past have led recent generations of archaeologist to reject it out of hand. In Britain, however, advances in dating Pleistocene sediments, setting their ages within a framework of ~11 glacial–interglacial cycles over the past 1 Ma, has revealed a number of patterns in technology and morphology that must be related to changing practices and cultural preferences over time. These are not predictable, nor are they linear, but nevertheless they may aid understanding of the movements of different peoples in and out of Britain over the past 500,000 years. It is also clear that such patterns are to be expected over a much wider region of the nearby continent, although they might not be identical, or even similar, to those established for southern Britain. This paper extends from explanation of the British patterns to an exploration of the extent to which something comparable can be recognized in neighbouring areas of continental Europe: a baseline for a planned collaborative survey of data from the Acheulean of NW European river systems.

KEYWORDS: Lower Palaeolithic; Acheulean; Handaxes; Fluvial archives; NW European Pleistocene; Early human occupation

Introduction

The recognition of Lower Palaeolithic artefacts as component parts of Pleistocene fluvial sediments (predominantly river terrace deposits) was an Anglo-French collaborative achievement, thanks to the enlightened observations of Jacques Boucher de Perthes and the attention these received from British visitors to his field area in the Somme, notably Hugh Falconer, Joseph Prestwich, John Evans and John Lubbock (later Lord Avebury), all of whom played important roles in promoting interest in such things to the British scientific community (e.g., Boucher de Perthes, 1847; Prestwich, 1860, 1864; Lubbock, 1862, 1865; Evans, 1863, 1872; Grayson, 1983; Bridgland, 2014). Such pioneers, whose ranks quickly swelled, discovered that an abundance of such artefacts was a characteristic shared by the rivers of

1
2
3 north-western France and south-eastern England, perhaps because of the prolific
4 occurrence of flint in these areas.
5
6

7
8 Early attempts to make sense of the British Palaeolithic record within its Pleistocene
9 context (e.g. Dawkins, 1874; Warren, 1926) were hindered by a debilitating
10 chronological framework, now realised to be greatly simplified, and a paucity of
11 data, although the combination of rich cave, loess (colluvially reworked) and fluvial
12 sites gave the French a definite advantage in this enterprise (cf. Lartet, 1861; de
13 Mortillet, 1867). Of the above-mentioned pioneers, Lubbock alone was an advocate
14 of multiple glaciations and interglacials, but he died (in 1913) before these were fully
15 accepted in Britain and the earliest finds were interpreted within a monoglacialis
16 paradigm, the entirety of human prehistory being squashed into a nebulous 'Post-
17 glacial' period. During the first half of the 20th Century, as multi-glacial schemes for
18 classification of Pleistocene time came to the fore, Palaeolithic specialists often led
19 the research on Pleistocene gravels and, indeed, attempted to use the patterns of
20 artefact types from these various deposits as means of classifying and even dating
21 the gravels (Commont, 1908, 1909; Green, 1936, 1946, 1947; King and Oakley,
22 1936; Calkin and Green, 1949). These were added to schemes based on multiple
23 river-terrace levels, reflecting different glaciations of the Alps (Penck and Bruckner,
24 1909), on distinctive palynological signals from different interglacials (West, 1956,
25 1957, 1968) and on differences in mammalian faunas (e.g., Zeuner, 1959). By and
26 large the complex divisions of the Lower Palaeolithic devised in these earlier times,
27 generally based on relative refinement of knapping techniques and linear
28 developments in handaxe form, are discredited, in part because they have been
29 shown to have no chronological foundation.
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45

46
47 The most fastidious attempt to recognize patterns within the Palaeolithic record is
48 less easily discarded, however. It was by Derek Roe, late of the Baden-Powell
49 Quaternary Research Centre in Oxford, who made thorough and exhaustive studies
50 of museum collections and related them to find-spots, work that was published as a
51 gazetteer (Roe, 1968b). Roe took the best of these sites (in terms of collection
52 history, sample size and context) as the basis of a novel morpho-metric analysis of
53 handaxe shape, revealing three major traditions and seven groups/sub-groups
54
55
56
57
58
59
60

(Table 1), which he considered likely to have a cultural and/or temporal significance (Roe, 1968a). Restricted by the condensed sequence of glacials and interglacials recognized in the mid-20th Century, Roe was unable to offer a sensible correlation of his groups, or rather their sedimentary contexts, with the Pleistocene geochronological record. That record was later revolutionized following the realisation that the fluctuations in global ice volume determined from oceanic sediments, based on the oxygen isotopic signatures of foraminifera therein, provided an improved template for Pleistocene glacial–interglacial fluctuation and, therefrom, that there had been many more climatic oscillations than previously realised (e.g., Shackleton and Opdyke, 1973; Bassinot *et al.*, 1994; Lisiecki and Raymo 2005). This allowed the number of river terraces in the principal valleys to be equated approximately with the number of 100 ka climatic cycles, as had always seemed likely to those who advocated a climatic mechanism for terrace generation (cf. Zeuner, 1945, 1959; Wymer, 1968). Thus the Lower Thames sequence, arguably the most important in relation to the British Lower and Middle Palaeolithic, was reinterpreted in terms of four glacial–interglacial climatic cycles (Bridgland and Harding, 1993; Bridgland, 1994, 1998, 2006; Fig. 1), instead of the two that had been recognized within the previous palynology-based paradigm (cf. Mitchell *et al.*, 1973).

Roe’s (1968b) gazetteer was subsequently updated by an English Heritage-funded project: ‘The English Rivers Palaeolithic Survey’ (TERPS), 1994–1997. This was initiated in 1991 in response to growing awareness that the quantity of sand and gravel being extracted for road building and construction was growing considerably and was potentially destroying Palaeolithic evidence without records being made (Wymer, 1999). TERPS began life as the ‘Southern Rivers Palaeolithic Project’, directed by John Wymer under the auspices of Wessex Archaeology, and aimed at providing a detailed survey of the known Palaeolithic material south of the Thames. In 1994 this work was extended to cover the whole of England, which was divided into 12 regions (including those identified as part of the predecessor project; there was an additional survey for Wales, although Scotland and Ireland were excluded, as no sites are known to exist in either country). Together these projects have provided

an unparalleled database of the British Palaeolithic record that has subsequently facilitated an impressive array of new research on predominantly existing materials (e.g., Ashton and Lewis, 2002; White *et al.*, 2006; Ashton *et al.*, 2011; Bridgland *et al.*, 2014a). As a result it can probably be argued that the Palaeolithic in Britain is better understood and more satisfactorily age-constrained than in any other European country. A collaborative project is now proposed that will expand this database onto the European continent (see below).

Principal divisions of the British Lower and Middle Palaeolithic

A number of separate Palaeolithic industries are well established within the British Middle Pleistocene, whereas others have been proposed but have not withstood the test of time. An important distinction exists within the oldest assemblages between those with handaxes, collectively termed 'Acheulean', and those lacking handaxes or evidence of handaxe manufacture, which have been attributed to the 'Clactonian' Industry (Breuil 1932a; Warren 1951; White 2000). These terms are essentially synonymous with more widespread categories that have been labelled Mode 2 and Mode 1, respectively, by Clarke (1969). Although not ideal if used as a proxy for past cultural connections, Clarke's scheme can nevertheless serve as useful shorthand for technological characteristics, allowing a plethora of local names to be sidestepped.

Within the British record, Clactonian (Mode 1) assemblages occur stratigraphically below Acheulean (Mode 2) assemblages in the deposits of more than one late Middle Pleistocene glacial–interglacial cycle. The Lower Thames record has been particularly informative in this respect (Fig. 1), with a Clactonian–Acheulean succession seen in both the Boyn Hill – Orsett Heath Terrace at Swanscombe (e.g. Wymer 1968, 1999; Conway *et al.*, 1996) and the Lynch Hill – Corbets Tey Terrace on the Essex side of the river, particularly at Purfleet (Schreve *et al.*, 2002; Bridgland *et al.*, 2013), although the early Clactonian-bearing deposits in this terrace are especially well developed at Little Thurrock (Wymer, 1957, 1968, 1999; Bridgland and Harding, 1993; Fig. 2). A link between this repeated succession and glacial–interglacial climatic and sea-level fluctuation, at the Marine Isotope Stage (MIS) 12–

11 and 10–9 transitions, was suggested by White (2000) and White and Schreve (2000). They envisaged two different groups of early people sequentially colonizing Britain from areas where Mode 1 and Mode 2 traditions prevailed, these being broadly to the east and to the south, respectively, as is reflected by the distribution of handaxes in pre-MIS 9 deposits on the European continent.

The proposal that the Mode 1 – Mode 2 succession had been repeated in sequential climatic cycles in Britain challenged an earlier paradigm in which the Clactonian assemblages were regarded as more primitive and invariably older than industries with handaxes. The record in the Lower Thames had been reconciled with that paradigm by invoking down-cutting to the basal Lynch Hill terrace level part-way through the period of time represented at Swanscombe, with subsequent complex erosion giving rise to the terrace morphology as now preserved (cf. King and Oakley, 1936). This paradigm, notwithstanding its requirement for geological coincidences of clear unfeasibility, was dealt a fatal blow by the association of well-made handaxes with a pre-Anglian (MIS 13) raised-beach context at Boxgrove, West Sussex (Roberts and Partfitt, 1999), in sediments that clearly pre-date both of the Lower Thames Mode 1 occurrences.

An important difference between the two Lower Thames Clactonian–Acheulean successions is that the later one is followed, within the same Lynch Hill – Corbets Tey sequence, by the appearance of Levallois (prepared-core) technology: Mode 3 in the terminology of Clarke (1969). This tripartite Mode 1–2–3 sequence is exemplified by the record from Purfleet (Palmer, 1975; Wymer, 1985; Schreve *et al.*, 2002), where its veracity was upheld recently by Bridgland *et al.* (2013). Most well-dated occurrences of classic Levallois in Britain belong to the next glacial–interglacial climate cycle (MIS 8–7–6), as represented in the Thames by the Taplow–Mucking Terrace (Fig. 1), making the Purfleet occurrence potentially the oldest in Britain. The Levallois flakes and blades recovered from Upper Gravel exposed during the 2001 Essex County Council excavations at Armor Road (Bridgland *et al.*, 2013) were shown to Paul Mellars (Cambridge University), who verified their Levallois credentials. The Purfleet ‘proto-Levallois’ would appear to be a local phenomenon. Elsewhere in Britain handaxe manufacture probably persisted into MIS 8 (e.g., at

Cuxton and Furze Platt), ultimately disappearing during the glacial maximum of that stage, when humans were extirpated from the landscape (White, 2015). When humans recolonized at the MIS 8–7 transition, handaxes had disappeared from their technological repertoire, having been replaced by a wide variety of fully-fledged Levallois techniques (Scott, 2010). Following MIS 7, there is a hiatus in the British record, with a presumed absence of humans between MIS 6 and MIS 4 (inclusive), implied by the absence of fresh artefacts from sediments representing these stages (Sutcliffe, 1995; Wymer, 1999; White and Schreve, 2000; Bridgland, 2006; Lewis *et al.*, 2011). When humans again recolonized Britain in MIS 3 they re-introduced handaxes, this time small cordiforms associated with the Mousterian of Acheulean Tradition and, thereby, the Neanderthals (White and Jacobi, 2002).

Divisions within the British Acheulean

Earlier paradigms

Long before Roe (1968a) identified his handaxe groups (Table 1), classifications of such artefacts were in widespread use, using terms such as Chellean, Abbevillian and Early, Middle and Late Acheulean. The name Acheulean was introduced in the 1873 version of Gabriel de Mortillet's artefact-based framework, initially to describe the epoch in which handaxes were the only definable tool, although Evans (1897), Dawkins (1874) and others were never fully satisfied with the scheme as a whole. The Acheulean later became a transitional industry leading to the Mousterian, with a new cultural division, the Chellean, introduced at the start of the sequence (de Mortillet, 1883; de Mortillet and de Mortillet, 1900). By the early years of the 20th Century, Commont's fieldwork in the Somme valley had shown that de Mortillet's scheme failed to describe the full range of variation, and led to subdivision of the Acheulean into Acheul I, II etc., based on characteristic types, based on an argument for increasing refinement over time (Commont, 1906, 1908). The Chellean thus became associated with older and cruder handaxes. The applicability of Commont's model to Britain was demonstrated by Smith and Dewey's (1913, 1914; Dewey and Smith, 1914) work in the Thames Valley, where a similar progressive

sequence was detected. Breuil's (1932a, b, 1939) scheme introduced further complexity, recognizing Chellean, Acheulean I–V, and the Micoquian (Acheulean VI–VII) and thus expanding the handaxe industries across three evolving cultural 'phyla'. By the 1960s most of these had been superseded by less-well-defined terms such as Early, Middle and Late Acheulean, although some workers, Wymer (1968) included, were beginning to doubt whether they had any chronological validity.

The important discoveries at Boxgrove (see above) did much to dispel this schema once and for all: the well-made and advanced-looking handaxes from Boxgrove are clearly amongst the oldest from Britain. This led to the demise of 'sophistication' as a means for classifying handaxes and broadly dating the Lower Palaeolithic and led to a new axiom: that typology was no indication of age and to suggest anything meaningful based upon such evidence was folly (e.g., Wymer, 1988; Ashton and McNabb, 1994; White, 1998b). This view prevailed for the final decades of the 20th Century and into the new millennium but is currently being supplanted by the renewed recognition that, at the assemblage level, the prevalence of particular handaxe forms can indeed be meaningful and groups defined on this basis can be of assistance for dating the geological context in which they occur (White, 1998a; Wenban-Smith, 2006; Pettitt and White, 2012; Bridgland and White, 2014; White, 2015): essentially a vindication of Roe (1968a), whose groups, reinterpreted in terms of age range, form the basis for the new thinking. Critically, however, this is accompanied by the realisation that patterns are neither linear nor predictable.

Cromerian Complex handaxes

Roe's (1968a) classification (Table 1) includes two groups (V and VII) that are associated with pre-Anglian contexts. Group VII is dominated by well-made 'rounded' ovate handaxes and could not have been attributed to the pre-Anglian before the Boxgrove 'revolution' (see above), notwithstanding the fact this group (to which Boxgrove can be added) includes the assemblage from Highlands Farm Pit, near Henley (Wymer, 1968), a site in the Black Park Terrace of the Middle Thames. This terrace has long been assigned to the Anglian and regarded as coeval with

glacial blockage of the Thames valley in Hertfordshire (Gibbard, 1979; Bridgland, 1994; cf. Hare, 1947), so presumably its contained archaeology must be reworked from earlier (Cromerian Complex) warmer times. The unabraded suite of handaxes from Warren Hill, Mildenhall, also belongs to this group, along with the similar but less 'fresh' assemblage from nearby High Lodge, which might be reworked from the former. These last two assemblages are associated with the Bytham River, which had a course across this part of East Anglia that was obliterated by the Anglian glaciation. That attribution has been challenged in recent years by Gibbard *et al.* (2009, 2012a, b, 2013), who have advocated a late Middle Pleistocene (MIS 6) glacial origin for these deposits, in a reversion to the much earlier interpretation by Solomon (1933), based on the coarseness and high chalk content of the gravels at Warren Hill. There are, however, distinct clast-lithological differences between the Bytham River gravels (however chalk-rich) at sites like Warren Hill and true glacial outwash gravels, which occur at other locations in the region (Bridgland and Lewis, 1991; Wymer *et al.*, 1991; Bridgland *et al.*, 1995). The latter have not yielded archaeology, whereas artefacts invariably occur at low-level Bytham Sand and Gravel localities, Warren Hill having the distinction of being one of Britain's richest Lower Palaeolithic sites (Hardaker, 2012). On the basis of an in-depth reappraisal of the Quaternary sequence in the wider Trent catchment, Bridgland *et al.* (2014a) have recently upheld the notion of a pre-Anglian Bytham River system draining from the West Midlands and across East Anglia.

In contrast to Group VII, Roe's Group V is characterized by 'crude' handaxes, showing minimal numbers of removals, all by hard hammer. It includes assemblages that were once classified as 'Early Acheulian' (see above), such as from Fordwich, Kent (Roe 1976a, b, 1981; Ashmore, 1980; Bridgland *et al.* 1998; Fig. 3), and Farnham, Surrey (Oakley 1939; Roe 1976a, b), both from high-level terraces of south-bank Thames tributaries. These are beyond the direct influence of the Anglian glaciation and so require correlation or dating to establish their pre-Anglian credentials. The gravel at Fordwich is part of the '125 ft Terrace' of the Great Stour (Coleman, 1952), which would appear to pre-date the Boyn Hill–Orsett Heath Terrace of the Thames, although correlation is hampered by the submergence of the

Thames–Stour confluence area beneath the modern estuary of the parent river. Nonetheless, an age of MIS 13–12 for the gravel, and thus latest Cromerian Complex for the industry, have been generally agreed (cf. Bridgland *et al.*, 1998; Wenban-Smith, 2006). At Farnham the Group V handaxe assemblage comes from Terrace A of the River Wey in its upper reaches (Bury, 1913, 1916, 1935; Wade and Smith, 1934; Oakley, 1939; Clarke and Dixon, 1981; Roe, 1981), this being the highest of a series of terraces preserved above the Upper Wey. When this terrace was formed, however, the drainage hereabouts represented the upper reaches of the Blackwater (Bury, 1908), the subsequent diversion being a likely case of river capture. This post-depositional rearrangement of the drainage geometry makes height above river a less reliable guide to age than usual, but the Terrace A gravels, at ~46 m above the current valley floor, certainly have sufficient altitude to suggest antiquity comparable with those at Fordwich.

Roe’s Group V also includes an assemblage of abraded handaxes from Warren Hill, which share the ‘primitive’ characteristics of those from Fordwich and Farnham (Roe, 1968a, 1981), and another, added formally by White (2015), from cave breccia in Kent’s Cavern, Torquay, Devon (cf. Roe, 1981). Recent dating of this deposit, using the ¹⁰Be method, points to an age in MIS 12 (Lundberg and McFarlane 2007), implying once again that the handaxes it contains were derived from a previous warm episode, probably MIS 13.

Twisted ovate handaxes

In contrast to the types attributed above to the late Cromerian Complex, which are almost invariably straight edged, artefact assemblages from the first interglacial following the Anglian often include handaxes with ‘twisted’ edges. Experimentation has shown that the ‘twist’ has been caused by differential working of the diagonal edges during the final phase of flake removal. Specimens of this sort are generally ovate or cordate in shape, with the twist taking the form of a ‘Z’ in the majority of cases (White and Plunkett, 2004; Fig. 4). Discussion about whether the twisted edge was deliberate or accidental can be traced back to Evans (1897) and Layard (1904),

1
2
3 although the identification of this type as particularly characteristic of one of Roe's
4 (1968a) handaxe groups (Group VI) suggests that its occurrence is not random but
5 must instead be reflective of cultural tradition. White (1998a) upheld the pattern
6 established by Roe and concluded that British assemblages with high proportions of
7 twisted ovates are potentially temporally distinctive, since those for which a date
8 could be established occurred in latest Hoxnian (MIS 11) sediments or in contexts
9 representative of the MIS 11–10 transition.
10

11
12
13
14
15
16 As with the establishment of a meaningful chronology for the British Lower and
17 Middle Palaeolithic, and indeed in the identification of four post-Anglian glacial–
18 interglacial climate cycles in Britain, evidence from the Lower Thames is of prime
19 importance in attributing assemblages with a significant twisted-ovate component to
20 MIS 11–10. Such assemblages occur in the uppermost sediments of the Boyn Hill–
21 Orsett Heath terrace, notably the Swanscombe Upper Loam (cf. Wymer, 1968;
22 Bridgland, 1994; Conway *et al.*, 1996; Wenban-Smith and Bridgland, 2001) and the
23 Wansunt Loam at Dartford Heath (Smith and Dewey, 1913; Tester, 1951, 1976),
24 probably a direct lateral equivalent (Wenban-Smith and Bridgland, 2001; Bridgland
25 *et al.*, 2014b). At Swanscombe the occurrence of twisted ovates is well constrained
26 at the principal locality: Barnfield Pit, now the Swanscombe Skull Site National
27 Nature Reserve. Here, Smith and Dewey noted white-patinated and twisted
28 handaxes as early as 1913. Fifty years later Roe was only able to attribute a small
29 number (19) to this pit with certainty, but others were marked as coming from the
30 Upper Loam at Milton Street (virtually synonymous with Barnfield) and other pits. As
31 well as occurring in the Upper Loam they are recorded, in weathered form, from the
32 overlying Upper Gravel, although thought in this case to have been reworked from
33 the subjacent loam. They are also known from the upper loams at Rickson's Pit
34 (Derek Roe, unpublished records) and Dierden's Pit (Ingress Vale), from decalcified
35 'stony loam' deposits, stratigraphically higher than the famous shell bed at that
36 locality (Newton, 1901; White *et al.*, 2013). The most stringently located of these
37 various finds point to the latter part of MIS 11, possibly from the later of two warm
38 substages: MIS 11a (cf. White and Schreve, 2000; Pettitt and White, 2012).
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Other British localities that have yielded significant numbers of twisted ovate handaxes are more difficult to constrain in terms of age, although MIS 11–10 is a perfectly feasible correlation for all of them and has been established with confidence for Elveden (Ashton *et al.*, 2005), Foxhall Road, Ipswich (White and Plunkett, 2004), and Hitchin (Boreham and Gibbard, 1995). A further example is Limpsfield, Surrey, on an interfluvium between the catchments of the Medway, to the south, and the Darent, to the north (Field *et al.*, 1999; Bridgland, 2003). The Limpsfield outlier is at ~150 m OD and, given that it incorporates bedded fluvial gravel containing semi-durable Hastings beds clasts, has been attributed to the Darent (Gossling, 1937, 1940; Bridgland, 1999), probably representing the final floodplain of a larger version of that river that drained from the central Weald but was soon to lose its headwaters to capture by the Medway (Wooldridge & Linton, 1939, 1955; Worssam, 1973).

Perhaps the first use of the new ideas about handaxe forms as age indicators was in the application of uplift modelling as a means of obtaining an improved age model for the terraces of the erstwhile Solent River, by Westaway *et al.* (2006). They took the occurrence of twisted ovates from the Old Milton Gravel at Barton on Sea (Evans, 1897, p. 558; Roe, 1968a) as a pinning point for their modelling, which also made use, as stratigraphical markers, of the earliest appearances of artefacts and of Levallois technique, as well as the rare preservation of interglacial deposits (MIS 5e) within the sequence. Comparison with better-dated records, particularly the Thames, was used for calibrating these markers, taking the Old Milton Gravel to date from MIS 11–10. Concurrent work on the Solent by an independent group produced optically stimulated luminescence (OSL) dates (Briant *et al.*, 2006) that agree well with the uplift modelling results (Westaway *et al.* 2006, note added in proof). It can be added that the Barton assemblage was reviewed by Roe (1968a) but included by him in his 'intermediate' (between pointed and ovate) Group IV, rather than Group VI, to which the Swanscombe Upper Loam and Wansunt Loam assemblages were allocated. Roe acknowledged that the Barton artefacts were somewhat problematic, many of them having been badly abraded on the modern beach before discovery (see also the concerns of Briant *et al.* (2009) about the integrity of this assemblage).

Ficrons and Cleavers

The term 'ficron' is used to describe narrow pointed handaxes with distinct concavity of their sides (Fig. 5). In Britain the term is applied to any handaxe that matches this description, many of them well made (cf. Fig. 5A). In France, where it originates, the term is reserved for quite crudely made examples with this form (or even 'lanceolate' forms), often with flat faces unworked, better-made versions being termed 'Micoquien' instead (Bordes, 1961). Whichever usage is favoured, these finely pointed handaxes could hardly be more different from cleavers, which are flat-ended handaxes that have had any point removed by 'tranchet' flake detachment (Fig. 6); this was emphasized by Wenban-Smith (2006), who noted the co-occurrence of these types in a relatively thin but highly artefact-rich gravel at Cuxton, in the Medway. White (2006) suggested that cleavers *sensu stricto* (a technologically driven form widespread in Africa, India and the Near East) do not occur in Britain, where cleavers *sensu lato* are the end-result of a widespread resharpening practice rather than a deliberate form. Wenban-Smith (2006) was loath to believe that the common occurrence at Cuxton both of extreme forms of ficron and of cleavers could be accidental. The distinctiveness of this association had already been noticed by Roe (1968a), who had placed Cuxton in his Handaxe Group I, along with Stoke Newington and sites on the Lynch Hill Terrace of the Middle Thames, notably Furze Platt, also known for the occurrence of ficrons (Wymer, 1968; cf. Harding *et al.*, 1991; Fig 5B). In the Middle Thames the Lynch Hill Terrace is difficult to date but its continuation in the Lower Thames, the Corbets Tey Formation, incorporates interglacial deposits that have been attributed to MIS 9, at sites like Purfleet, Grays and, indeed, Stoke Newington (Bridgland, 1994, 2006; Schreve, 2001; Schreve *et al.* 2002; Green *et al.*, 2004, 2006; see Fig. 1B).

The correlation of Cuxton has proved problematic, since identifiable fossils are lacking from what is a small erosional remnant within a narrow confined reach of the Medway through the Chalk; the scarcity of terraces in this part of the valley makes long-profile projection difficult (Bridgland, 2003). Tester (1965), who first excavated the Palaeolithic site, suggested equivalence with the Boyn Hill Terrace at

Swanscombe, on the basis of typological arguments that have been roundly rejected (cf. Wenban-Smith, 2006). Bridgland (in Cruse, 1989) regarded the Binney Gravel as the most likely correlative for the Cuxton remnant amongst the better preserved terraces of the Lower Medway, below Rochester. At that time the Binney Gravel was ascribed to the Devensian, but revision of the correlation of the lowest terraces within the Thames sequence downstream of Tilbury (Bridgland *et al.*, 1993) led to its reassignment to the MIS 8–7–6 climate cycle, it being regarded as correlative with the Taplow–Mucking Terrace of the Lower Thames. Assistance with deciphering the problematic stratigraphy and downstream correlation of the Medway terraces was subsequently provided by AW Skempton (personal communication in Bridgland, 1996; cf. Skempton and Weeks, 1976), leading to the conclusion that the Cuxton deposit could represent either the Binney Gravel or the older Stoke Gravel of the Medway. Further consideration of the archaeological evidence led Bridgland (2003) to interpret the Cuxton outlier as a degraded remnant of the Stoke Gravel, which is equivalent to the Lynch Hill – Corbets Tey Terrace of the Thames, although the archaeology that swayed him was the occurrence of Levallois artefacts in the uppermost deposits at Cuxton (Tester, 1965), in close correspondence with the appearance of that industry at Purfleet in the Thames (see above). This revision was overlooked by Wenban-Smith (2006), who nonetheless tentatively advocated an age of ~MIS 8 for the Cuxton assemblage.

As noted by Bridgland and White (2014), both ficrons and cleavers occur throughout the British Lower Palaeolithic; both occur as minor components of the large (MIS 11) assemblage from Barnfield Pit, Swanscombe, for example, albeit in different divisions (Cotton, 1964; Wymer, 1968). However, they are particularly prevalent in assemblages within Roe’s (1968a) Group I, which can now be associated with contexts of probable MIS 10–9–8 age and which, in the Thames, correspond with the Lynch Hill – Corbets Tey Terrace. Bridgland and White also noted that, in addition to the assemblages identified above, there have been numerous isolated finds of ficrons and cleavers from Lynch Hill outcrops, including several from Greater London, where that formation is well developed.

Middle Palaeolithic *bout coupé* handaxes

Handaxes largely disappeared with the transition to Levallois knapping techniques, but the re-occupation of Britain later in the Middle Palaeolithic, during MIS 4–3, saw handaxe making reappear, as encountered in assemblages that have been termed 'Mousterian of Acheulean tradition'. Roe (1968a) included two such assemblages within his Group VI, noting that they stood apart within that group; these were Great Pan Farm, Shide, Isle of Wight (Poole, 1925; Shackley, 1973), and Oldbury Rock Shelter, Kent (Harrison, 1933), which he separated out as the two members of 'Sub-Group D' within Group VI. These assemblages are characterized by well-made handaxes and, more importantly, contain a further distinctive typological form that has long been regarded as a temporal indicator for the early part of the last glacial: the flat-buttet cordate or '*bout coupé*' (Roe, 1968a; Tyldesley, 1987; White and Jacobi, 2002; White and Pettitt, 2011; Fig. 7). To Roe's two Group VI assemblages can be added those from Little Paxton, Cambridgeshire (Tebbutt *et al.*, 1927; Paterson and Tebbutt, 1947; Fig. 7A), the cave earth at Kent's cavern (MacEnery and Vivian, 1859) and the more recently discovered material from Lynford, Norfolk (White, 2012; Fig. 7B). In addition there are numerous *bout coupé* find-spots; White and Pettitt (2011) tabulated >140, not including those mentioned above.

The occurrence of *bout coupé* handaxes in the low terraces of the Solent system was another chronological pinning point used by Westaway *et al.* (2006) in their modelling (see above), taken to indicate MIS 3. Indeed, the temporal significance of this handaxe type is acknowledged beyond Britain, it being a characteristic (if rather uncommon) form amongst the Neanderthal-associated Mousterian assemblages from the Paris Basin (Roe, 1968a; White and Pettitt, 2011; see below). This somewhat pre-empts the foregoing discussion, which will explore whether the chronological validity of the various patterns of occurrence discussed above might extend to the nearby continent.

Extending the occurrence patterns of handaxe types to the near Continent

Before attempting to explore the above ideas further, and assess the potential for similar findings on the European continent, it is important to emphasize that the chronological patterns described here have been constructed on biostratigraphical and lithostratigraphical frameworks, sometimes with reinforcement from geochronology, not from the Palaeolithic artefact assemblages. In the past, the sophistication and shapes of tools might have been allowed to influence the dating of a site, but this is no longer the case. The patterns revealed could not, in any case, be predicted on the basis of evolutionary frameworks of increased technological refinement, or on one shape being more highly developed than another. Human actions are creative and capricious and while a particular form may be common in one period it will almost certainly occur in others. For example, the elongated pointed-ovate (limande) handaxes found at Boxgrove and High Lodge dominate Group VII sites, most of which are pre-Anglian, but examples of this form can be found almost anywhere. Individual handaxe forms are notoriously untrustworthy, but if the patterns detected here endure future scrutiny they may permit assessment of the age of a site based on its total artefact profile. Furthermore, Palaeolithic archaeologists are not only interested in dates of artefact clusters but also in the insights these give into human dispersals and cultural transmission. That people who were linked in time and space shared a common tool-making repertoire is probably no great surprise, but establishing the social mechanisms for such linkages is an entirely different issue and a source of research questions for the future.

A broad agreement already exists about the age of the principal divisions within the Lower and Middle Palaeolithic across Europe, although the earliest occupation by tool-making hominins was clearly much earlier in Africa and in regions on the northward pathway along which migration therefrom would have occurred, such as the Middle east and the Caucasus, as well as southern Europe (Mgeladze *et al.*, 2010; Moncel, 2010; Kahlke *et al.*, 2011). The established tenet that hominin activity in northern Europe was restricted to more recent parts of the Pleistocene has been challenged since the turn of the Millennium by the discoveries on the Norfolk coast at Pakefield (Parfitt *et al.*, 2005) and Happisburgh 3 (Parfitt *et al.*, 2010), although the early Cromerian Complex and Early Pleistocene respective ages claimed for these

assemblages have in turn been challenged by Westaway, who has attributed Pakefield to MIS 15e (Westaway, 2009a, b) and Happisburgh 3 to MIS 15c (Westaway, 2011). These sites have sparse assemblages (34 and 78 artefacts, respectively) that, such as they are, lack any indication of handaxe making. However, if the Westaway ages are correct, they may be little if any older than some of the undated British handaxe assemblages attributed to the Cromerian Complex and the small number of pieces cannot in either case be regarded as excluding handaxe making (cf. McNabb, 2007). On the European continent, strong claims for human occupation 1.6–1.0 million years ago have been made in the Mediterranean region and as far North as the Loire (Bridgland *et al.*, 2006; Despriée *et al.*, 2010), with the first claims for Acheulean occupation at Solana del Zamborino (~750–770 ka) and Estrecho del Quípar (~900 ka) in Spain (Scott and Gibert, 2009), although some doubt has been expressed over the provenance of these handaxes and their relation to the dated levels (Robin Dennell, pers. comm.). Claims for Acheulean occurrences >700,000 years old at La Noira, Central France (Moncel *et al.* 2013), and Barranc de la Boella, la Canonja, Spain (Vallverdú *et al.* 2014), may prove more robust. For NW Europe the record in the Somme points to earliest occupation in MIS 15 (Tuffreau and Antoine, 1995; Loch and Antoine, 2001; Antoine *et al.*, 2003, 2014), a conclusion that applies over a wider area as far as handaxe making is concerned, based on fluvial and cave sites in France (Barsky and de Lumley, 2005; Bridgland *et al.*, 2006; Voinchet *et al.*, 2010; Despriée *et al.*, 2011) and from Atapuerca in Spain (Raposo and Santonja, 1995; Pérez-González *et al.*, 1999). The first use of Levallois technique (Mode 3) is also thought to have an essentially uniform age across wide tracts of Europe, including Britain (White and Ashton, 2003; White *et al.*, 2011).

The cyclical nature of occupation and abandonment of northern Europe, with recolonization having potentially taken place from one (or more) of several southern refugia, as well as the periodic isolation of Britain from Europe, means that there are no *a priori* reasons, empirical or theoretical, for expecting the patterns detected in Britain to be repeated elsewhere. They might at best have only local significance, although even that would mean that patterns on the nearest parts of the continent,

adjoining a British Peninsula for the majority of Pleistocene time (even after the Strait of Dover was first formed), might well be similar. Furthermore, contiguous areas of Europe might also show greater similarities since, if it is assumed that technology moved with people as they dispersed from glacial refugia, founder populations might well have left familiar signatures wherever they or their daughter populations settled. Despite 150 years of study these basic issues remain to be fully explored.

The most obvious starting point for comparison is therefore France, which has a Lower Palaeolithic record comparable with that found in Britain in terms of quantity and quality, arguably surpassing it in terms of internationally important sites, including those from which industries are named. However, Antoine *et al.* (2010) have expressed reservations about the veracity of primary-context Palaeolithic material from Middle Pleistocene fluvial sediments in the Somme, since no new finds of this sort have been made during the recent programme of research (15 years). Indeed, much of the archaeological record from the Somme comes from loess-derived colluvial material ('overburden') and past records are often unclear as to whether artefacts came from fluvial or slope deposits at a site. Important new work has been conducted at one of the most important sites: the type locality of the erstwhile 'Abbevillian' (see above), the Carpentier Quarry at Abbeville. This new study has used ESR dating and palaeontological analyses, as well as reassessment of artefact collections, to confirm a late Cromerian Complex age for Palaeolithic assemblages that can be matched with both Group V and Group VII of Roe (1968a); indeed, calcareous interglacial sediments within the Renancourt Formation at Abbeville have been dated to MIS 15, although the artefacts, which represent the earliest Acheulean in NW France, are attributed to MIS 14, as they have not been demonstrated to occur within the fluvial part of the sequence (Antoine *et al.*, 2014).

Notwithstanding advances of this sort, France currently lacks an easily accessible national conspectus from which to draw regional comparisons, these relying therefore on harvesting information from individual sites and/or publications and rare technological syntheses that utilize a suitable methodology. One such study is that by Paul Callow, who applied a method combining elements of Roe's (1968a)

and Bordes' (1961) classifications to 27 French assemblages, mostly from the north of that country (Callow, 1976, 1986). This provides a basis for comparison, but omits subtle variations such as *ficrons*. In an analysis of breadth/width using Euclidian distance, most of the French sites cluster together and are separate from the British assemblages. Interestingly, this index succeeded in separating Roe's Groups I, II, and V, with VI and VII tending to merge into one another.

Four French assemblages fall into a cluster containing most of Roe's Group II sites. These are Vermand, a small 'workshop' assemblage from loessic silt, possibly fluvially re-deposited, in the Omignon valley (tributary of the Somme); Mare-aux-Clercs A5, from a plateaux loess site in the lowest Seine valley near Le Havre (Ohel and Lechevallier, 1979); Le Tillet (Seine), from the 'base of older loess'; and La Micoque 6. The last will serve as an example and salutary lesson. The handaxes from Level 6 at La Micoque (Dordogne) are not in primary context and are thought to have been derived from older deposits on the plateaux above the locality. Ironically the upper levels at the site, which has been considered to be the type series for the Middle Palaeolithic Micoquian Industry, have been dated by ESR and U-series on teeth to 350–300 ka (MIS 10), probably a minimum age (Falguères *et al.*, 1997). This is only slightly younger than the Roe's Group II (MIS 11), which suggests conformity with the British situation, but there is a caveat. Although these handaxes cluster with the Group II sites on the basis of breadth/width, typologically they are similar to those from Wolvercote (dated by the Upper Thames terrace stratigraphy to MIS 9: Bridgland, 1994; Bridgland and Schreve, 2009; cf. Fig. 8) and would fit more comfortably in Group III, an observation made previously (Roe 1968a, 1981). Notwithstanding that this apparent mismatch highlights the dangers of using a single metric rather than a combination of metrics and typological attributes, there remains the possibility that the French assemblage from MIS 10 is transitional (a refugium perhaps) between the two British groupings from the interglacials before and after that cold stage. Wolvercote-type handaxes were noted in a number of other assemblages: Bihorel and Mare-aux-Clercs (B9, B4 and Mathi 4), from the Argille Rouge of the Seine valley, and Daours, from the basal cailloutis

of the Younger Loess in the Somme, although it is unclear whether these are of comparable age.

Happily, Callow also provided a typological assessment of the French and British sites, from which a more nuanced examination may proceed. Two sites were dominated by thick limande handaxes, the rolled series from Cagny and Montières, both situated on the 30 m terrace of the Somme, the river-gravel component of which is formed by the MIS 12 Garenne Formation. The assemblages from these sites, along with those of the 'type Abbevillian' (synonymous with early and poorly refined handaxes), are the closest approximation to Roe's Group V.

As will be apparent from the above, many of the northern French assemblages are from 'overburden' sequences rather than fluvially deposited sediments (and, as noted already, in some cases there is uncertainty about precise provenances in one or the other). Such overburden, much of it loessic (originally wind-blown), generally constitutes slope deposits that have accumulated during periglacial episodes, with stabilization and soil formation during interglacials, providing an important additional avenue for stratigraphical dating (e.g., Antoine *et al.*, 2007, 2010) that is completely unknown in Britain. Artefact assemblages from such contexts need careful interpretation, with due consideration of condition and taphonomy, as well as assemblage integrity. At one extreme they might represent valley-side living and/or knapping locations, whereas at the other there is the potential for earlier material to have accumulated within a coarser 'slopewash' layer (which is the likely interpretation of many if not most 'cailloutis': pebble stringers in silty 'overburden' deposits). Indeed, Jean-Luc Locht (pers. comm.) has emphasized the difficulty in determining the ages of French assemblages from such contexts.

A valuable approach might involve concentration on the best-dated assemblages, such as those from the various sub-aerial tufa bodies in the Somme and Seine systems, all of them datable by multi-proxy means, with reference to palaeontology and geochronology (Lautridou *et al.*, 1974; Lhomme *et al.*, 2003, 2004; Antoine *et al.*, 2006; Limondin-Lozouet *et al.*, 2006, 2010, this issue; cf. Fig. 2). These assemblages are generally rather sparse, however, although there is some similarity

between the range of forms recorded from the MIS 9 Soucy terrace deposits (Lhomme *et al.*, 2004) and the characteristics of Roe's Group I (see above).

Looking forward: a proposed survey of the Rivers of Palaeolithic Europe

By way of a conclusion to this paper, the authors propose to follow up the findings presented here with a collaborative survey of the Palaeolithic record from fluvial contexts in Europe, building on the work presented throughout this special issue, with the aim of creating an accessible database comparable with that already existing for Britain. While this will be valuable for many different purposes, a particular aim will be the teasing out of patterns, such as those determined within the British Acheulean by Roe (1968a), and further developed here.

The survey would be based on that undertaken in Britain under the leadership of the late John Wymer (see above) but would be driven not by concern about the finite nature of the sedimentary contexts, as with TERPS, but by the conviction that fluvial sequences provide important long-timescale stratigraphical frameworks upon which comparison with wider Quaternary data can be based, making them ideal for exploring and establishing patterns of variation and evolution within the Lower and Middle Palaeolithic. The brief will not exclude the most important assemblages from other environmental contexts; these can be placed within the fluvially-based stratigraphical framework by multi-proxy means of correlation, further building up the database.

Determination of meaningful patterns of occurrence like those now recognized in Britain requires that entire assemblages are appraised and catalogued in terms of tool form, as was undertaken by Roe, as well as by Wymer (1968, 1999) and, to a lesser extent, by Callow (1976, 1986). This will require access to and painstaking assessment of existing collections, although modern technology should streamline the process.

Suggested protocols, based on those of TERPS, are as follows (modified from Wymer 1999):

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

- To identify, as accurately as possible, the findspots of Lower and Middle Palaeolithic artefacts and the deposits containing them, in order to demonstrate fully the distribution of known Palaeolithic occurrences. If time and resources are limited, emphasis can be given to the most important assemblages, e.g., in terms of size, integrity and age constraint.
- To confirm, where necessary, the validity of previous identifications of artefacts
- To chart the extent of relevant Quaternary deposits
- To determine and document the condition of artefacts (of potential importance in understanding taphonomy and for establishing, in the case of abraded material, that surface finds have been derived from fluvial contexts (this is additional to TERPS)
- To assess the varying relative importance of discoveries and the potential for future finds throughout the study area in order to develop predictive models.
- To assist planning authorities across Europe in making informed decisions about the potential for Palaeolithic archaeology in relation to particular localities and/or aggregate reserves.

Such a programme is needed to provide a database of European earlier Palaeolithic sites that will enable future researchers to interrogate and correlate all suitable findspots, rather than just the best-known 'flagship' sites. The intention would be to extend beyond artefact style and chronology, aiming towards a better understanding of the cultural geography of Lower–Middle Palaeolithic Europe.

Acknowledgements:

The authors are grateful for the constructive suggestions of Marie-Hélène Moncel, Jean-Luc Lochet and an anonymous referee.

References

Antoine P, Auguste P, Bahain JJ, Coudret P, Depaepe P, Fagnart J-P, Falguères C, Fontugne M, Frechen M, Hatté C, Lamotte M, Laurent M, Limondin-Lozouet N, Locht JL, Mercier N, Moigne AM, Munaut AV, Ponel P, Rousseau DD. 2003.

Paléoenvironnements pléistocènes et peuplements paléolithiques dans le bassin de la Somme (Nord de la France). *Bulletin de la Société préhistorique Française* **100**: 5–28.

Antoine P, Limondin-Lozouet N, Auguste P, Locht J-L, Ghaleb B, Reyss J-L, Escudé E, Carbonel P, Mercier N, Bahain J-J, Falguères C, Voinchet P. 2006. Le tuf de Caours (Somme, France): mise en évidence d'une séquence éémienne et d'un site paléolithique associé. *Quaternaire* **17**: 281–320.

Antoine P, Limondin-Lozouet N, Chaussé C, Lautridou J-P, Pastre J-F, Auguste P, Bahain J-J, Falguères C, Ghaleb B. 2007. Pleistocene fluvial terraces from northern France (Seine, Yonne, Somme): synthesis, and new results from interglacial deposits. *Quaternary Science Reviews* **26**: 2701–2723.

Antoine P, Auguste P, Bahain J-J, Chaussé C, Falguères C, Ghaleb B, Limondin-Lozouet N, Locht J-L, Voinchet P. 2010. Chronostratigraphy and palaeoenvironments of Acheulean occupations in Northern France (Somme, Seine and Yonne valleys). *Quaternary International* 223–224: 456–461.

Antoine P, Moncel M-H, Locht J-L, Limondin-Lozouet N, Auguste P, Stoetzel E, Dabkowski J, Voinchet P, Bahain J-J, Falguères C. 2014. Dating the earliest human occupation of Western Europe: new evidence from the fluvial terrace system of the Somme basin (Northern France). *Quaternary International* (in press).

Ashmore AM. 1980. The typology and age of the Fordwich handaxes. *Archaeologia Cantiana* **76**: 83–117.

Ashton NM, Lewis SG. 2002. Deserted Britain: declining populations in the British late Middle Pleistocene. *Antiquity* **76**: 388–396.

Ashton NM, McNabb J. 1994. Bifaces in perspective. In *Stories in Stones* Ashton NM, David, A (eds.). Lithic Studies Society, London (Occasional Paper 4), 182–191.

Ashton NM, Lewis SG, Parfitt S, Candy I, Keen DH, Kemp R, Penkman K, Thomas GN, Whittaker JE. 2005. Excavations at the Lower Palaeolithic site at Elveden, Suffolk, UK. *Proceedings of the Prehistoric Society* **71**: 1–61.

Ashton NM, Lewis SG, Stringer CB (eds). 2011. *The Ancient Human Occupation of Britain*. Elsevier: Amsterdam.

Barsky D, de Lumley H. 2005. Comportement technologique des occupants des premiers niveaux à bifaces du nord de la Méditerranée. In *Les Premiers Peuplements*

1
2
3 *en Europe*, Molines N, Moncel MH, Monnier J-L (eds.). British Archaeological Reports,
4 International Series 1364, Archaeopress, Oxford, 135–148.

5
6 Bassinot FC, Labeyrie LD, Vincent E, Quidelleur X, Shackleton NJ, Lancelot Y. 1994.
7 The astronomical theory of climate and the age of the Brunhes–Matuyama magnetic
8 reversal. *Earth and Planetary Science Letters* **126**: 91–108.

9
10
11 Bordes F. 1961. *Typologie du Paléolithique ancien et moyen*. Publications de l'Institut
12 de Préhistoire de l'Université de Bordeaux, Mémoire n° 1.

13
14 Boreham S, Gibbard PL. 1995. Middle Pleistocene Hoxnian Stage interglacial deposits
15 at Hitchin, Hertfordshire, England. *Proceedings of the Geologists' Association* **106**:
16 259–270.

17
18 Boucher de Perthes J. 1847. Antiquités celtiques et antédiluviennes : Mémoire sur
19 l'industrie primitive et les arts à leur origine. Treuttel et Wurtz: Paris.

20
21 Breuil H. 1932a. Les industries à éclats du Paléolithique ancien, I: Le Clactonien.
22 *Préhistoire* (Paris) **1**: 148–157.

23
24 Breuil H. 1932b. Le Paléolithique ancien en Europe occidentale et sa chronologie.
25 *Bulletin de la Société Préhistorique Française* **29**: 570–578.

26
27 Breuil H. 1939. The Pleistocene succession in the Somme Valley. *Proceedings of the*
28 *Prehistoric Society* **5**: 33–38.

29
30 Briant RM, Bates MR, Schwenninger J-L, Wenban-Smith F. 2006. An optically
31 stimulated luminescence dated Middle to Late Pleistocene fluvial sequence from the
32 western Solent Basin, southern England. *Journal of Quaternary Science* **21**: 507–
33 523.

34
35 Briant RM, Wenban-Smith FF, Schwenninger J-L. 2009. Solent river gravels at
36 Barton-on-Sea, Hampshire SZ 230 930. In *The Quaternary of the Solent Basin and*
37 *West Sussex Raised Beaches*, Briant R, Bates M, Hosfield R, Wenban-Smith F (eds.).
38 Field Guide, Quaternary Research Association, London, 161–170.

39
40 Bridgland DR. 1994. *Quaternary of the Thames*. Geological Conservation Review
41 Series 7, Chapman & Hall: London. 441 pp.

42
43 Bridgland DR. 1996. Quaternary river terrace deposits as a framework for the Lower
44 Palaeolithic record. In *The English Palaeolithic Reviewed*, Gamble C, Lawson A
45 (eds.). Trust for Wessex Archaeology, Salisbury, 23–39.

46
47 Bridgland DR. 1998. The Pleistocene history and early human occupation of the
48 River Thames valley. In *Stone Age Archaeology. Essays in honour of John Wymer*,
49 Ashton N, Healy F, Pettit P (eds.). Oxbow Monograph 102, Oxbow Books, Oxford,
50 29–37.

1
2
3 Bridgland DR. 1999. 'Wealden rivers' north of the Thames: a provenance study
4 based on gravel clast analysis. *Proceedings of the Geologists' Association* **110**: 133–
5 148.

6
7
8 Bridgland DR. 2003. The evolution of the River Medway, SE England, in the context
9 of Quaternary palaeoclimate and the Palaeolithic occupation of NW Europe.
10 *Proceedings of the Geologists' Association* **114**: 23–48.

11
12
13 Bridgland DR. 2006. The Middle and Upper Pleistocene sequence in the Lower
14 Thames; a record of Milankovitch climatic fluctuation and early human occupation of
15 southern Britain. Henry Stopes Memorial Lecture. *Proceedings of the Geologists'*
16 *Association* **117**: 281–305.

17
18
19 Bridgland DR. 2014. John Lubbock's early contribution to the understanding of river
20 terraces and their importance to geography, archaeology and Earth science. *Notes &*
21 *Records of the Royal Society of London* **68**: 49–63.

22
23
24 Bridgland DR, Harding P. 1993. Middle Pleistocene Thames terrace deposits at Globe
25 Pit, Little Thurrock, and their contained Clactonian industry. *Proceedings of the*
26 *Geologists' Association* **104**: 263–283.

27
28
29 Bridgland DR, Lewis SG. 1991. Introduction to the Pleistocene geology and drainage
30 history of the Lark valley. In *Central East Anglia and the Fen Basin*, Lewis SG,
31 Whiteman CA, Bridgland DR (eds.). Field Guide, Quaternary Research Association,
32 London, 37–44.

33
34
35 Bridgland DR, Schreve DC. 2009. Implications of new Quaternary uplift models for
36 correlation between the Middle and Upper Thames terrace sequences, UK. *Global*
37 *and Planetary Change* **68**: 346–356.

38
39
40 Bridgland DR, White MJ. 2014. Fluvial archives as a framework for the Lower and
41 Middle Palaeolithic: patterns of British artefact distribution and potential
42 chronological implications. *Boreas* **43**: 543–555.

43
44
45 Bridgland DR, Lewis SG, Wymer JJ. 1995. Middle Pleistocene stratigraphy and
46 archaeology around Mildenhall and Icklingham, Suffolk: report on the Geologists'
47 Association Field meeting, 27 June 1992. *Proceedings of the Geologists' Association*
48 **106**: 57–69.

49
50
51 Bridgland DR, Schreve DC, Keen DH, White MJ. 1998. Quaternary drainage of the
52 Kentish Stour. In *The Quaternary of Kent & Sussex*, Murton JB, Whiteman CA, Bates
53 MR, Bridgland DR, Long AJ, Roberts MB, Waller MP (eds.). Field Guide, Quaternary
54 Research Association, London, 39–54.

55
56
57 Bridgland DR, D'Olier B, Gibbard PL, Roe HM. 1993. Correlation of Thames Terrace
58 deposits between the Lower Thames, eastern Essex and the submerged offshore
59
60

continuation of the Thames-Medway valley. *Proceedings of the Geologists' Association* **104**: 51–57.

Bridgland DR, Antoine P, Limondin-Lozouet N, Santisteban JI, Westaway R, White MJ. 2006. The Palaeolithic occupation of Europe as revealed by evidence from the rivers: data from IGCP 449. *Journal of Quaternary Science* **21**: 437–455.

Bridgland DR, Harding P, Allen P, Candy I, Cherry C, George W, Horne D, Keen DH, Penkman KEH, Preece RC, Rhodes EJ, Scaife R, Schreve DC, Schwenninger J-L, Slipper I, Ward G, White MJ, White TS, Whittaker JE. 2013. An enhanced record of MIS 9 environments, geochronology and geoarchaeology: data from construction of the High Speed 1 (London–Channel Tunnel) rail-link and other recent investigations at Purfleet, Essex, UK. *Proceedings of the Geologists' Association* **124**: 417–476.

Bridgland DR, Howard AJ, White MJ, White, TS. 2014a. *Quaternary of the Trent*. Oxbow Books: Oxford. 406 pp.

Bridgland DR, Allen P, White MJ, White, TS, Wenban-Smith FF. 2014b. Wansunt Pit, Dartford Heath (TQ 598743). In *The Quaternary of the Lower Thames & Eastern Essex*, Bridgland DR, Allen P, White MJ, White, TS (eds.). Field Guide, Quaternary Research Association, London, 152–157.

Bury H. 1908. Notes on the River Wey. *Quarterly Journal of the Geological Society of London* **64**: 318–384.

Bury H. 1913. The gravel-beds of Farnham in relation to Palaeolithic Man. *Proceedings of the Geologists' Association* **24**: 178–201.

Bury H. 1916. The palaeoliths of Farnham. *Proceedings of the Geologists' Association* **27**: 151–192.

Bury H. 1935. The Farnham Terraces and their Sequence. *Proceedings of the Prehistoric Society* **1**: 60–69.

Calkin JB, Green JFN. 1949. Palaeoliths and terraces near Bournemouth. *Proceedings of the Prehistoric Society* **15**: 21–37.

Callow P. 1976. The Lower and Middle Palaeolithic of Britain and adjacent areas of Europe. Unpublished PhD Thesis, University of Cambridge.

Callow P. 1986. A Comparison of British and French Acheulian bifaces. In *The Palaeolithic of Britain and its Nearest neighbours: Recent Trends*, Collcutt SN (ed.). University of Sheffield: Sheffield, 3–7.

Clarke G. 1969. *World Prehistory: A New Outline*. Cambridge University Press, Cambridge, 331 pp.

- Clarke MR, Dixon AJ. 1981. The Pleistocene braided river deposits in the Blackwater valley area of Berkshire and Hampshire, England. *Proceedings of the Geologists' Association* **92**: 139–157.
- Coleman A. 1952. Some aspects of the development of the Lower Stour, Kent. *Proceedings of the Geologists' Association* **63**: 63–86.
- Commont V. 1906. Les découvertes récentes à Saint-Acheul: L'Acheule en. *Revue de l'école d'Anthropologie de Paris* **16**: 228–241.
- Commont V. 1908. Les industries ancien Saint-Acheul. *L'anthropologie* **19**: 527–572.
- Commont V. 1909. L'industrie moustérienne dans la région de nord de la France. *Congrès préhistorique de France, Compte rendu la 5 session, Beauvais, 1909*. 115–157.
- Conway B, McNabb J, Ashton N. 1996. *Excavations at Barnfield Pit, Swanscombe, 1968–1972*. British Museum, Occasional Paper 94: London.
- Cotton MA. 1964. Report on the committee's excavations in the Barnfield Pit in June, 1937. In *The Swanscombe Skull: a survey of research on a Pleistocene site* Ovey CD (ed.) Royal Anthropological Institute, Occasional Paper No. 20, 11–17.
- Cruse RJ. 1989. Further investigation of the Acheulian site at Cuxton. *Archaeologia Cantiana* **104** (for 1987): 39–81.
- Currant A, Jacobi R. 2002. Human presence and absence in Britain during the early part of the Late Pleistocene. In *Le Dernier Interglaciaire et les occupations humaines du Paléolithique*, Roebroeks W, Tuffreau A (eds). Centre d'Etudes et Recherches Préhistoriques: Lille; 105–113.
- Dawkins WB. 1874. *Cave Hunting: Researches on the Evidence of Caves Respecting the Early Inhabitants of Europe*. MacMillan: London.
- de Mortillet G. 1867. Promenades Préhistoriques à l'exposition universelle. *Matériaux pour Servir à l'Histoire Positive et Philosophique de l'Homme* **3**: 181–283, 285–368.
- de Mortillet G. 1873. Classification des diverse période d'Âge de la Pierre. *Compte Rendu du Congrès Internationale d'Anthropologie et d'Archéologie Préhistoriques, 6me Session, Bruxelles, 1872*. Weissenbruch, Brussels, 432–444.
- de Mortillet G. 1883. *Le préhistorique: Antiquité de l'homme*. Reinwald: Paris.
- de Mortillet G, de Mortillet A. 1900. *Le Préhistorique: Origine et antiquité de l'homme* (3rd Edition). Reinwald: Paris.

Despriée J, Voinchet P, Tissoux H, Moncel M-H, Arzarello M, Bahain J-J, Falguères C, Courcimault G, Dépont J, Gageonnet R, Marquer L, Messenger E, Abdessadok S, Puaud S. 2010. Lower and Middle Pleistocene human settlements in the Middle Loire River Basin, Centre Region, France. *Quaternary International* **223–224**: 345–359.

Despriée J, Voinchet P, Tissoux H, Bahain J-J, Falguères C, Courcimault G, Dépont J, Moncel M-H, Robin S, Arzarello M, Sala R, Marquer L, Messenger E, Puaud S, Abdessadok S. 2011. Lower and Middle Pleistocene human settlements recorded in fluvial deposits of the middle Loire River Basin, Centre Region, France. *Quaternary Science Reviews* **30**: 1474–1485.

Dewey H, Smith RA. 1914. The Palaeolithic sequence at Swanscombe, Kent. *Proceedings of the Geologists' Association* **25**: 90–97.

Evans J. 1863. Account of some further discoveries of flint implements in the Drift on the Continent and in England. *Archaeologia* **39**: 57–84.

Evans J. 1872. *The Ancient Stone Implements, Weapons and Ornaments of Great Britain*. Longman: London.

Evans J. 1897. *The Ancient Stone Implements, Weapons and Ornaments of Great Britain* (2nd Edition). Longman: London.

Falguères C, Bahain J-J, Saleki H. 1997. U-Series and ESR dating of teeth from Acheulian and Mousterian levels at La Micoque (Dordogne, France). *Journal of Archaeological Science* **24**: 537–545.

Field D, Nicolaysen P, Cotton J. 1999. The Palaeolithic sites at Limsfield, Surrey: an analysis of the artefacts collected by A.M. Bell. *Surrey Archaeological Collections* **86**:1–32.

Gibbard PL. 1979. Middle Pleistocene drainage in the Thames Valley. *Geological Magazine* **116**: 35–44.

Gibbard PL, Pasanen AH, West RG, Lunkka JP, Boreham S, Cohen KM, Rolfe C. 2009. Late Middle Pleistocene glaciation in East Anglia, England. *Boreas* **38**: 504–528.

Gibbard PL, West RG, Boreham S, Rolfe C. 2012a. Late Middle Pleistocene ice-marginal sedimentation in East Anglia, England. *Boreas* **41**: 319–336.

Gibbard PL, Boreham S, West RG, Rolfe CJ. 2012b. Late Middle Pleistocene glacio-fluvial sedimentation in western Norfolk, England. *Netherlands Journal of Geosciences* **91**: 63–78.

Gibbard PL, Turner C, West RG. 2013. The Bytham River reconsidered. *Quaternary International* **292**: 15–32.

- Gossling F. 1937. Wealden pebbles in the valley of the River Darent. *Geological Magazine* **74**: 527–528.
- Gossling F. 1940. A contribution to the Pleistocene history of the Upper Darent valley. *Proceedings of the Geologists' Association* **51**: 311–340.
- Grayson, DK. 1983. *The Establishment of Human Antiquity*. Academic Press: New York.
- Green CP, Gibbard PL, Bishop BJ. 2004. Stoke Newington: geoarchaeology of the Palaeolithic 'floor'. *Proceedings of the Geologists' Association* **115**: 193–207.
- Green CP, Branch NP, Coope GR, Field MH, Keen DH, Wells JM, Schwenninger J-L, Preece RC, Schreve DC, Canti MG, Gleed-Owen CP. 2006. Marine Isotope Stage 9 environments of fluvial deposits at Hackney, North London, UK. *Quaternary Science Reviews* **25**: 89–113.
- Green JFN. 1936. The terraces of southernmost England. *Quarterly Journal of the Geological Society of London* **92**: 58–88.
- Green JFN. 1946. The terraces of Bournemouth, Hants. *Proceedings of the Geologists' Association* **57**: 82–101.
- Green JFN. 1947. Some gravels and gravel-pits in Hampshire and Dorset. *Proceedings of the Geologists' Association* **58**: 128–143.
- Hardaker T. 2012. The artefacts from the present land surface at the Palaeolithic site of Warren Hill, Suffolk, England. *Proceedings of the Geologists' Association* **123**: 692–713.
- Harding P, Bridgland DR, Madgett PA, Rose J. 1991. Recent investigations of Pleistocene sediments near Maidenhead, Berkshire, and their archaeological content. *Proceedings of the Geologists' Association* **102**: 25–53.
- Harrison E. 1933. *Harrison of Ightham*. Oxford University Press: Oxford.
- Hare FK. 1947. The geomorphology of a part of the Middle Thames. *Proceedings of the Geologists' Association* **58**: 294–339.
- Hinton MAC, Kennard AS. 1905. The Relative Ages of the Stone Implements of the Lower Thames Valley. *Proceedings of the Geologists' Association* **19**: 76–100.
- Kahlke R-D, García N, Kostopoulos DS, Lacombe F, Lister AM, Mazza PPA, Spassov N, Titov V.V. 2011. Western Palaeo-archaic palaeoenvironmental conditions during the Early and early Middle Pleistocene inferred from large mammal communities, and implications for hominin dispersal in Europe. *Quaternary Science Reviews* **30**: 1368–1395.

- King WBR, Oakley KP. 1936. The Pleistocene succession in the lower part of the Thames Valley. *Proceedings of the Prehistoric Society* **1**: 52–76.
- Lacaille AD. 1940. Palaeoliths from the gravels of the Lower Boyn Hill Terrace. *Antiquaries Journal* 20, 245–271.
- Lartet E. 1861. Nouvelles recherches sur la coexistence de l'homme et des grands mammifères fossils reputes characteristic de la dernière période géologique. *Annales des sciences naturelles, quatrième série, zoologie* **15**: 177–253.
- Lautridou J-P, Masson M, Paepe R, Puisségur J-J, Verron G. 1974. Loess, nappes alluviales et tuf de Saint-Pierre les-Elbeuf, près de Rouen; les terrasses de la Seine de Muids à Caudebec. *Bulletin de l'Association française pour l'étude du quaternaire* **11**: 193–201.
- Layard NF. 1904. Further excavations on a Palaeolithic site in Ipswich. *Journal of the Anthropological Institute* **34**: 306–310.
- Lewis SG, Ashton N, Jacobi R. 2011. Testing human presence during the Last Interglacial (MIS 5e): a review of the British evidence. In *The Ancient Human Occupation of Britain*, Ashton N, Parfitt S, Stringer C (eds.). Elsevier, Amsterdam, 125–164.
- Lhomme V, Connet N, Chaussé C. 2003. Le gisement de Soucy 6 (Yonne) et son industrie lithique dans le contexte des industries à éclats du Paléolithique inférieur en Europe du Nord-Ouest. *Bulletin de la Société préhistorique française* **100**: 241–251.
- Lhomme V, Connet N, Chaussé C, Bémilli C, Bahain J-J, Voinchet P. 2004. Les sites et les industries lithiques du Paléolithique inférieur, moyen et supérieur de la basse vallée de l'Yonne dans leurs contextes chronostratigraphiques. Bilan de dix ans d'activité archéologique pluridisciplinaire dans le sud-est du Bassin parisien. *Bulletin de la Société préhistorique française* **101**: 701–739.
- Limondin-Lozouet N, Antoine P, Auguste P, Bahain J-J, Carbonel P, Chaussé C, Connet N, Dupéron J, Dupéron M, Falguères C, Freytet B, Ghaleb B, Jolly-Saad MC, Lhomme V, Lozouet P, Mercier N, Pastre JF, Voinchet P. 2006. Le tuf calcaire de La Celle-sur-Seine (Seine et Marne) : nouvelles données sur un site clé du stade 11 dans le Nord de la France. *Quaternaire* **17**: 5–29.
- Limondin-Lozouet N, Nicoud E, Antoine P, Auguste P, Bahain J-J, Dabkowski J, Dupéron J, Dupéron M, Falguères C, Ghaleb B, Jolly-Saad MC, Mercier N. 2010. Oldest evidence of Acheulean occupation in the Upper Seine valley (France) from an MIS 11 tufa at La Celle. *Quaternary International* **223–224**: 299–311.
- Limondin-Lozouet N, Antoine P, Auguste P, Bahain J-J, Cliquet D, Coutard S, Dabkowski J, Ghaleb B, Locht J-L, Nicoud E, Voinchet P, Falguères C. This issue.

Northwest European MIS 11 malacological successions: a framework for the timing of Acheulean occupation. *Journal of Quaternary Science*.

Lisiecki LE, Raymo ME. 2005. A Pliocene–Pleistocene stack of 57 globally distributed benthic $\delta^{18}\text{O}$ records. *Paleoceanography* **20**: PA1003, doi:10.1029/2004PA001071.

Locht J-L, Antoine P. 2001. Caractérisation techno-typologique et position chronostratigraphique de plusieurs industries à rares bifaces ou amincissements bifaciaux du nord de la France. In *Les industries à outils bifaciaux du Paléolithique moyen d'Europe occidentale*, Cliquet D (ed.). *Études et Recherches Archéologiques de l'Université de Liège* **98**: 129–134.

Lubbock J. 1862. On the Evidence of the Antiquity of Man, afforded by the Physical Structure of the Somme Valley. *Natural History Review* **2**: 244–269.

Lubbock J. 1865. *Pre-historic times, as illustrated by ancient remains, and the manners and customs of modern savages*. Williams & Norgate: London.

Lundberg J, McFarlane D. 2007. Pleistocene depositional history in a periglacial terrane: a 500ka record from Kents Cavern, Devon, United Kingdom. *Geosphere* **3**: 199–219.

MacEnery J, Vivian E. 1859. *Cavern Researches: Or Discoveries of Organic Remains, and of British and Roman Reliques, in the Caves of Kent's Hole, Anstis Cove, Chudleigh, and Berry Head*. Simpkin, Marshall: London.

McNabb J. 2007. *The British Lower Palaeolithic: Stones in Contention*. Routledge: London.

Mgeladze A, Lordkipanidze D, Moncel M-H, Despriée J, Chagelishvili R, Nioradze M, Nioradze G. 2010. First human settlement of the Caucasus: Technical behavior and raw material acquisition at Dmanisi, Georgia (1.77 Ma). *Quaternary International* **223–224**: 422–425.

Mitchell GF, Penny LF, Shotton FW, West RG. 1973. *A correlation of Quaternary deposits in the British Isles*. Geological Society of London, Special Report 4: London.

Moncel M-H. 2010. Oldest human expansions in Eurasia: favouring and limiting factors. *Quaternary International* **223–224**: 1–9.

Moncel M-H, Despriée J, Voinchet P, Tissoux H, Moreno D, Bahain J-J, Courcimault G, Falguères C. 2013. Early Evidence of Acheulean Settlement in Northwestern Europe - La Noira Site, a 700 000 Year-Old Occupation in the Center of France. *PLoS ONE* **8**: e75529. doi:10.1371/journal.pone.0075529.

Newton WM. 1901. The occurrence in a very limited area of the rudest with the finer forms of worked stones. *Man* **1**: 81–82.

Oakley KP. 1939. Geology and Palaeolithic studies. In *A Survey of the Prehistory of the Farnham District*, Oakley KP, Rankin WF, Lowther AWG (eds.). Surrey Archaeological Society, Guildford, 3–60.

Ohel MY, Lechevalier C. 1979. The "Clactonian" of Le Havre and its bearing on the English Clactonian. *Quartär* **29–30**: 85–103.

Parfitt SA, Barendregt RW, Breda M, Candy I, Collins MJ, Coope GR, Durbidge P, Field MH, Lee JR, Lister AM, Mutch R, Penkman KEH, Preece RC, Rose J, Stringer CB, Symmons R, Whittaker JE, Wymer J, Stuart AJ. 2005. The earliest record of human activity in northern Europe. *Nature* **438**: 1008–1012.

Parfitt SA, Ashton NM, Lewis SG, Abel RL, Coope GR, Field MH, Gale R, Hoare PG, Larkin NR, Lewis MD, Karloukovski V, Maher BA, Peglar SM, Preece RC, Whittaker JE, Stringer CB. 2010. Early Pleistocene human occupation at the edge of the boreal zone in northwest Europe. *Nature* **466**: 229–233.

Paterson TT, Tebbutt CF. 1947. Studies in the Palaeolithic succession in England No. III. Palaeoliths from St. Neots, Huntingdonshire. *Proceedings of the Prehistoric Society* **13**: 37–46.

Penck A, Bruckner E. 1909. *Die Alpen im Eiszeitalter*. Tachnitz: Leipzig.

Pérez-González, A, Parés JM, Gallardo J, Aleixandre T, Ortega AI, Pinilla A. 1999. Geología y estratigrafía del relleno de Galería de la Sierra de Atapuerca (Burgos). In *Atapuerca: Ocupaciones humanas y paleoecología del yacimiento de Galería*, Carbonell E, Rosas A, Díez C (eds.). Junta de Castilla y León (Consejería de Educación y Cultura), Valladolid, 31–42.

Pettitt, P., White, M. 2012. *The British Palaeolithic*. Routledge: London, 616 pp.

Poole HF. 1925. Palaeoliths from Great Pan Farm, Isle of Wight. *Papers and Proceedings of the Hampshire Field Club* **9**: 305–319.

Prestwich J. 1860. On the occurrence of flint-implements, associated with the remains of animals of extinct species in beds of a late geological period, in France at Amiens and Abbeville, and in England at Hoxne. *Philosophical Transactions of the Royal Society of London* **150**: 277–317.

Prestwich J. 1864. Theoretical Considerations on the Conditions under which the (Drift) Deposits containing the Remains of Extinct Mammalia and Flint implements, and On the Loess of the Valleys of the South of England, and of the Somme and the Seine. *Philosophical Transactions of the Royal Society of London* **154**: 247–309.

Raposo L, Santonja M. 1995. The earliest occupation of Europe: the Iberian Peninsula. In *The Earliest Occupation of Europe*, Roebroeks W., van Kolfschoten T (eds.). University of Leiden Press, Leiden, 7–25.

- Roberts MB, Parfitt SA. 1999. Boxgrove. *A Middle Pleistocene hominid site at Eartham Quarry, Boxgrove, West Sussex*. Archaeological Report 17, English Heritage, London, 456pp.
- Roe DA. 1968a. British Lower and Middle Palaeolithic hand axe groups. *Proceedings of the Prehistoric Society* **34**: 1–82.
- Roe DA. 1968b. *A Gazetteer of British Lower and Middle Palaeolithic Sites*. Council for British Archaeology, Research Report No 8: London.
- Roe DA. 1976a. Typology and the trouble with handaxes. In *Problems in Economic and Social Archaeology*, Sieveking GdeG, Longworth IH, Wilson KE (eds.). Duckworth, London, 61–70.
- Roe DA. 1976b. The evolution of the Acheulean in Britain. In *Colloque 10, l'Évolution de l'Acheuléen en Europe (IXth UISSP Congress, Nice)* Combier J (ed.). UISSP, Nice, 31–46.
- Roe DA. 1981. *The Lower and Middle Palaeolithic Periods in Britain*. Routledge and Kegan Paul, London, 324 pp.
- Schreve DC. 2001. Differentiation of the British late Middle Pleistocene interglacials: the evidence from mammalian biostratigraphy. *Quaternary Science Reviews* **20**: 1693–1705.
- Schreve DC, Bridgland DR, Allen P, Blackford JJ, Fazakerley R, Gleed-Owen CP, Griffiths HI, Keen DH, White MJ. 2002. Sedimentology, palaeontology and archaeology of late Middle Pleistocene River Thames terrace deposits at Purfleet, Essex, UK. *Quaternary Science Reviews* **21**: 1423–1464.
- Scott GR, Gibert L. 2009. The oldest handaxes in Europe. *Nature* **461**: 82–85.
- Scott R. 2010. *Becoming Neanderthal: the Earlier British Middle Palaeolithic*. Oxford, Oxbow Books: Oxford.
- Shackleton NJ, Opdyke ND. 1973. Oxygen isotope and palaeomagnetic stratigraphy of Pacific core V28-238: oxygen isotope temperatures and ice volume on a 10^5 and 10^6 year scale. *Quaternary Research* **3**: 39–55.
- Shackley ML. 1973. A contextual study of the Mousterian industry from Great Pan Farm, Isle of Wight. *Proceedings of the Isle of Wight Natural History and Archaeology Society* **6**: 542–554.
- Skempton AW, Weeks AG. 1976. The Quaternary history of the Lower Greensand escarpment and Weald Clay vale near Sevenoaks, Kent. *Philosophical Transactions of the Royal Society* **A283**: 493–526.

Smith R, Dewey H. 1913. Stratification at Swanscombe: Report on excavations made on behalf of the British Museum and H.M. Geological Survey. *Archaeologia* **64**: 177–204.

Smith R, Dewey H. 1914. The High Terrace of the Thames: report on investigations made on behalf of the British Museum and H.M. Geological Survey in 1913. *Archaeologia* **65**: 187–212.

Solomon JD. 1933. The implementiferous gravels of Warren Hill. *Journal of the Royal Anthropological Institute of Great Britain and Ireland* **63**: 101–110.

Sutcliffe AJ. 1995. Insularity of the British Isles 250,000 to 300,000 years ago: the mammalian, including human, evidence. In *Island Britain: a Quaternary Perspective*, Preece RC (ed.). Geological Society, London, Special Publication 96, 127–140.

Tebbutt CF, Marr JE, Burkitt MC. 1927. Palaeolithic industries from the Great Ouse gravels at and near St Neots. *Proceedings of the Prehistoric Society of East Anglia* **5**: 166–173.

Tester PJ. 1951. Palaeolithic flint implements from the Bowman's Lodge Gravel Pit, Dartford Heath. *Archaeologia Cantiana* **63**: 122–134.

Tester PJ. 1965. An Acheulian site at Cuxton. *Archaeologia Cantiana* **80**: 30–60.

Tester PJ. 1976. Further consideration of the Bowman's Lodge Industry. *Archaeologia Cantiana* **91**: 29–39.

Tuffreau A, Antoine P. 1995. The earliest occupation of Europe: continental northwestern Europe. In *The Earliest Occupation of Europe*, Roebroeks W., van Kolfschoten T (eds.). University of Leiden Press, Leiden, 147–163.

Tyldesley JA. 1987. *The bout coupé handaxe: A typological problem*. British Archaeological Reports, British Series 170, Archaeopress, Oxford.

Vallverdú J, Saladié P, Rosas A, Huguet R, Cáceres I, Mosquera M, Garcia-Tabernero A, Estalrich A, Lozano-Fernández I, Pineda-Alcalá A, Carrancho Á, Villalain JJ, Bourlès D, Braucher R, Lebatard A, Vilalta J, Esteban-Nadal M, Bennàsar ML, Bastir M, López-Polín L, Ollé A, Vergés JM, Ros-Montoya S, Martínez-Navarro B, García A, Martinell J, Expósito I, Burjachs F, Agustí J, Carbonell E. 2014. Age and Date for Early Arrival of the Acheulian in Europe (Barranc de la Boella, la Canonja, Spain). *PLoS ONE* **9**: e103634. doi:10.1371/journal.pone.0103634.

Voinchet P, Despriée J, Tissoux H, Falguères C, Bahain J-J, Gageonnet R, Dépont JJ, Dolo J-M. 2010. ESR chronology of alluvial deposits and first human settlements of the Middle Loire Basin (Region Centre, France). *Quaternary Geochronology* **5**: 381–384.

- 1
2
3 Wade AG, Smith RA. 1934. A Palaeolithic Succession at Farnham, Surrey.
4 *Proceedings of the Prehistoric Society of East Anglia* **7**: 348–353.
5
6
7 Waechter JdA. 1973. The Late Middle Acheulean Industries in the Swanscombe
8 Area. In *Archaeological Theory and Practice*, Strong DE (ed.). Seminar Press,
9 London, 67–86.
10
11 Warren SH. 1926. The classification of the Lower Palaeolithic with especial reference
12 to Essex. *South East Naturalist*, 31: 38–50.
13
14 Warren SH. 1951. The Clacton flint industry: a new interpretation. *Proceedings of*
15 *the Geologists' Association* 62: 107–135.
16
17
18 Wenban-Smith F. 2006. Handaxe typology and the Lower Palaeolithic cultural
19 development: ficrons, cleavers and two giant handaxes from Cuxton. *Lithics* **25** (for
20 2004): 11–21.
21
22
23 Wenban-Smith FF, Bridgland DR. 2001. Palaeolithic archaeology at the Swan Valley
24 Community School, Swanscombe, Kent. *Proceedings of the Prehistoric Society* **67**:
25 219–259.
26
27
28 West RG. 1956. The Quaternary deposits at Hoxne, Suffolk. *Philosophical*
29 *Transactions of the Royal Society of London* **B239**: 265–356.
30
31 West RG. 1957. Interglacial deposits at Bobbitshole, Ipswich. *Philosophical*
32 *Transactions of the Royal Society of London* **B241**: 1–31.
33
34
35 West RG. 1968. *Pleistocene Geology and Biology*. Longman: London.
36
37 Westaway R. 2009a. Quaternary vertical crustal motion and drainage evolution in
38 East Anglia and adjoining parts of southern England: chronology of the Ingham River
39 terrace deposits. *Boreas* **38**: 261–284.
40
41 Westaway R. 2009b. Calibration of decomposition of serine to alanine in *Bithynia*
42 opercula as a quantitative dating technique for Middle and Late Pleistocene sites in
43 Britain. *Quaternary Geochronology* **4**: 241–259.
44
45
46 Westaway R. 2011. A re-evaluation of the timing of the earliest reported human
47 occupation of Britain: the age of the sediments at Happisburgh, eastern England.
48 *Proceedings of the Geologists' Association* 122: 383–396.
49
50
51 Westaway R, Bridgland D, White M. 2006. The Quaternary uplift history of central
52 southern England: evidence from the terraces of the Solent River system and nearby
53 raised beaches. *Quaternary Science Reviews* **21**: 2212–2250.
54
55
56 White MJ. 1998a. Twisted ovate bifaces in the British Lower Palaeolithic: Some
57 observations and implications. In *Stone Age Archaeology: Essays in Honour of John*
58
59
60

Wymer, Ashton N, Healey F, Pettit P (eds.). Oxbow Monograph 102, Lithic Studies Occasional Paper 6. Oxbow Press, Oxford, 98–104.

White MJ. 1998b. On the significance of Acheulean biface variability in southern Britain. *Proceedings of the Prehistoric Society* **64**: 15–44.

White MJ. 2000. The Clactonian Question: On the interpretation of core-and-flake assemblages in the British Lower Palaeolithic. *Journal of World Prehistory* **14**: 1–63.

White MJ. 2006. Axeing Cleavers: reflections on broad-tipped large cutting tools in the British Lower and Middle Palaeolithic. In *Axe Age: Acheulean Toolmaking, from Quarry to Discard*, Goren-Inbar N, Sharon G (eds). Equinox, Jerusalem, 365–386.

White MJ. 2012. The lithic assemblage from Lynford Quarry and its bearing on Neanderthal behaviour in Late Pleistocene Britain. In *Neanderthals among Mammoths: Excavations at Lynford Quarry, Norfolk*, Boismier B, Gamble C, Coward C (eds.). English Heritage, London, 219–260.

White MJ. 2015. 'Dancing to the Rhythms of the Biotidal Zone': Settlement History and Culture History in Middle Pleistocene Britain. In *Settlement, Society and Cognition in Human Evolution: Landscapes in the Mind* Coward F, Hosfield R, Pope M, Wenban-Smith F (eds.). Cambridge University Press, Cambridge, 154–173.

White MJ, Ashton NM. 2003. Lower Palaeolithic core technology and the origins of the Levallois method in NW Europe. *Current Anthropology* **44**: 598–609

White MJ, Jacobi R. 2002. Two sides to every story: Bout coupé handaxes revisited. *Oxford Journal of Archaeology* **21**: 109–133.

White MJ, Pettitt PB. 2011. The British Late Middle Palaeolithic: an interpretative synthesis of Neanderthal occupation at the northwestern edge of the Pleistocene world. *Journal of World Prehistory* **24**: 25–97.

White MJ, Plunkett SJ. 2004. *Miss Layard Excavates: Excavations at the Lower Palaeolithic site at Foxhall Road, Ipswich, 1902–1904*. Western Academic & Specialist Press: Liverpool.

White MJ, Schreve DC. 2000. Island Britain – peninsular Britain: palaeogeography, colonisation and the Earlier Palaeolithic settlement of the British Isles. *Proceedings of the Prehistoric Society* **66**: 1–28.

White M, Scott B, Ashton N. 2006. The Early Middle Palaeolithic in Britain: archaeology, settlement history and human behaviour: *Journal of Quaternary Science* **21**: 525–542.

- White MJ, Scott B, Ashton NM. 2011. The emergence, diversity and significance of mode 3 (Prepared Core) technologies. In *The Ancient Human Occupation of Britain*, Ashton N, Parfitt S, Stringer C (eds.). Elsevier, Amsterdam, 53–68.
- White TS, Preece RC, Whittaker JE. 2013. Molluscan and ostracod succession from Dierden's Pit, Swanscombe (River Thames): insights into the fluvial history and human occupation of NW Europe. *Quaternary Science Reviews* **70**: 73–90.
- Wooldridge SW, Linton DL. 1939. *Structure, surface and drainage in south-east England*. Transactions of the Institute of British Geographers, No. 10.
- Wooldridge SW, Linton DL. 1955. *Structure, surface and drainage in south-east England* (2nd edition). G. Phillip and Sons: London .
- Worssam BC. 1973. *A new look at river capture and at the denudation history of the Weald*. Report of the Institute of Geological Sciences, 73/17
- Wymer JJ. 1957. A Clactonian flint industry at Little Thurrock, Grays, Essex. *Proceedings of the Geologists' Association* **68**: 159–177.
- Wymer JJ. 1968. *Lower Palaeolithic Archaeology in Britain, as represented by the Thames Valley*. John Baker: London.
- Wymer JJ. 1985. *The Palaeolithic sites of East Anglia*. Geobooks: Norwich.
- Wymer JJ. 1988. Palaeolithic archaeology and the British Quaternary sequence. *Quaternary Science Reviews* **7**: 79–98.
- Wymer JJ. 1999. *The Lower Palaeolithic Occupation of Britain*. Wessex Archaeology and English Heritage: Salisbury.
- Wymer JJ, Lewis SG, Bridgland DR. 1991. Warren Hill, Mildenhall, Suffolk. In *Central East Anglia and the Fen Basin*, Lewis SG, Whiteman CA, Bridgland DR (eds.). Field Guide, Quaternary Research Association, London, 50–58.
- Zeuner FE. 1945. *The Pleistocene Period: Its Climate, Chronology and Faunal Succession* (1st Edition). Ray Society Publication no 130: London.
- Zeuner FE. 1959. *The Pleistocene Period: Its Climate, Chronology and Faunal Succession* (2nd Edition). Hutchinson: London.

Tables:

Table 1 Core (most securely dated) members of Roe's (1968a) British handaxe groups, with inferred ages after White (2015). Additions by White are in parentheses.

Figures:

Figure 1 Palaeolithic of the Thames: A. Middle Thames terrace sequence; B. The Lower Thames terrace sequence. Modified from Bridgland (2006, 2010). Handaxe assemblages that can be assigned to Roe's (1968a) groups are indicated.

Fig. 2 – Location of sites from British and French fluvial sites mentioned in the paper. Tufa sites are indicated by (T).

Fig. 3 – Handaxes once interpreted as 'Early Acheulean' from Fordwich, Kent (from Ashmore, 1980); they are from the assemblage belonging to Roe's (1968a) Group V (Table 1). Scale graduated in cm.

Fig. 4 – Twisted ovate handaxes from the Upper Loam at Barnfield Pit, Swanscombe (from Waechter, 1973). Scale graduated in cm.

Fig. 5 – Examples of 'ficron' handaxes, from assemblages belonging to Roe's (1968a) Group I (Table 1). A. Cuxton, Kent (photo courtesy of Francis Wenban-Smith). B. Furze Platt (from Lacaille, 1940). Scale graduated in cm.

Fig. 6 – Examples of cleavers, from assemblages belonging to Roe's (1968a) Group I (Table 1). A. Furze Platt (from Lacaille, 1940). B. South Woodford, London Borough of Redbridge (from Pettitt and White, 2012). Scales graduated in cm.


Fig. 7 – Examples of *bout coupé* handaxes, considered indicative of MIS 3. A. Little Paxton, near St Neots, Cambridgeshire (from Paterson and Tebbutt, 1947). B. Lynford, Norfolk (Photo MJW). Scale graduated in cm.

Fig. 8 – Typical plano-convex handaxe from Wolvercote. The assemblage from the Wolvercote brickpit, near Oxford (Wymer, 1968; Bridgland, 1994), is the sole member of Roe's (1968a) Group III (Table 1). Length 22 cm.

← Pointed tradition →			← Ovate tradition →		
Group I (with cleavers)	Group II (with ovates)	Group III (plano-convex)	Group V (crude, narrow)	Group VI (more pointed)	Group VII (less pointed)
<u>MIS 9-8</u>	<u>MIS 11</u>	<u>MIS 9</u>	<u>MIS 15-13</u>	<u>MIS 11</u>	<u>MIS 13</u>
Furze Platt	Swanscombe MG	Wolvercote	Fordwich	Elveden	High Lodge
Bakers Farm	Chadwell St Mary		Farnham terrace A	Bowman's Lodge	Warren Hill fresh
Cuxton	(Hoxne UI)		Warren Hill worn	Swanscombe UL	Highlands Farm
Stoke Newington	Dovercourt		(Kents Cavern Breccia)	(Wansunt)	Corfe Mullen
	Hitchin			(Foxhall Road Grey Clay)	(Boxgrove)
	(Foxhall Road Red Gravel)			(Hoxne LI)	
				<u>MIS 13-12</u>	
				Caversham	
				<u>Middle Palaeolithic</u>	
				Shide, Pan Farm	
				Oldbury	


Table 1. Core (most securely dated) members of Roe's (1968a) British handaxe groups, with inferred ages after White (2015). Additions by White are in parentheses.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60







1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60








254x190mm (96 x 96 DPI)







90x115mm (299 x 299 DPI)